

Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

St. Paul.—Month of May, 1902. Estimated population, 170,000. Total number of deaths, 162, including diphtheria, 7; enteric fever, 1; whooping cough, 2, and 15 from tuberculosis.

NEW HAMPSHIRE—Franklin.—Month of May, 1902. Census population, 5,843. Total number of deaths, 6, including 2 from tuberculosis.

NORTH CAROLINA.—Reports to the State board of health for the month of May, 1902, from 28 towns having an aggregate estimated population of 153,900—white, 91,160; colored, 62,740—show a total of 311 deaths, including diphtheria, 1; enteric fever, 2; measles, 1; whooping cough, 3, and 34 from phthisis pulmonalis.

OHIO.—Reports to the State board of health for the eight weeks ended May 24, 1902, from 71 localities having an aggregate population of 1,273,153, show 41 deaths from diphtheria, 39 from enteric fever, 18 from measles, 31 from scarlet fever, and 8 from whooping cough.

Cleveland.—Month of May, 1902. Estimated population, 390,000. Total number of deaths, 520, including diphtheria, 15; enteric fever, 16; measles, 1; scarlet fever, 3; smallpox, 12, and 46 from tuberculosis.

OKLAHOMA TERRITORY—Oklahoma City.—Month of January, 1902. Estimated population, 20,000. Total number of deaths, 33, including diphtheria, 1, and 1 from tuberculosis.

Month of February, 1902. Total number of deaths, 30, including

diphtheria, 1, and 4 from tuberculosis.

Month of March, 1902. Total number of deaths, 45, including diphtheria, 2; enteric fever, 2, and 7 from tuberculosis.

Report of immigration at Baltimore for the week ended June 21, 1902.

Office of U. S. Commissioner of Immigration, Port of Baltimore, Md., June 21, 1902.

Number of alien immigrants who arrived at this port during the week ended June 21, 1902; also, names of vessels and ports from which they came. June 16, steamship *Brookline*, from Port Antonio, with 2 immigrants. June 19, steamship *Chemnitz*, from Bremen, with 1,355 immigrants. Total, 1,357.

Louis T. Weis, Commissioner.

Report of immigration at Baltimore for the week ended June 28, 1902.

OFFICE OF U. S. COMMISSIONER OF IMMIGRATION,

Port of Baltimore, Md., June 28, 1902.

Number of alien immigrants who arrived at this port during the week ended June 28, 1902; also names of vessels and ports from which they came. June 23, steamship Oxus, from Port Antonio, with 2 immigrants. June 26, steamship Brandenburg, from Bremen, with 816 immigrants. Total, 818.

BERTRAM M. STUMP, Acting Commissioner.

Report of immigrants inspected at the port of New York, N. Y., during the month of May, 1902.

Total number of immigrants inspected, 90,467; number passed, 90,-178; number certified for deportation on account of dangerous contagious or loathsome diseases, or for other physical causes, 289.

GEORGE W. STONER, Surgeon, U. S. M. H. S.